

Attachment No. 7B

Published QPL

3/28/2008 9:18:49 AM

Total Record Count: 258

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
AF	11	QPL-6081	03/26/2008	MIL-PRF-6081D	LUBRICATING OIL, JET ENGINE
AF	11	QPL-6529	02/27/2008	MIL-C-6529C(2) NOT 2	Corrosion Preventive, Aircraft Engine
AF	11	QPL-6645	02/28/2008	MIL-DTL-6645J	PARACHUTES, PERSONNEL, GENERAL SPECIFICATION FOR
AF	11	QPL-7808	03/26/2008	MIL-PRF-7808L	LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE
AF	11	QPL-8188	02/28/2008	MIL-PRF-8188D	CORROSION-PREVENTIVE, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE
AF	11	QPL-8236	03/27/2008	MIL-R-8236F	REEL, SHOULDER HARNESS, INERTIA LOCK
AF	11	QPL-8703	01/03/2008	MIL-C-8703B NOT 1	CHAIN ASSEMBLY, SINGLE LEG, 10,000 POUND CAPACITY, TYPE MA-1
AF	11	QPL-25161	02/27/2008	MIL-N-25161C(3)	NOZZLE, AERIAL PRESSURE REFUELING, TYPE MA-2
AF	11	QPL-25732	02/27/2008	MIL-P-25732C(1) NOT 2	Packing, Preformed, Petroleum Hydraulic Fluid Resistant, Limited Service at 275 Deg. F (135 Deg. C)
AF	11	QPL-25798	01/03/2008	MIL-L-25798D NOT 1	LIFE PRESERVER, UNDERARM, CASUALTY, TYPE MB-1
AF	11	QPL-25959	03/13/2008	MIL-DTL-25959F	Tie Down, Tensioners, Cargo, Aircraft
AF	11	QPL-27260	01/03/2008	MIL-PRF-27260C	TIE DOWN, CARGO, AIRCRAFT, CGU-1/B
AF	11	QPL-27296	01/03/2008	MIL-V-27296C NOT 1	Valve, Oxygen Mask, Combination Inhalation and Exhalation
AF	11	QPL-38271	01/03/2008	MIL-C-38271B	CONNECTOR, OXYGEN MASK TO REGULATOR CRU-60/F
AF	11	QPL-83406	01/03/2008	MIL-DTL-83406C	Anti-G Garment, Cutaway, CSU-13B/P
AF	11	QPL-83866	01/03/2008	MIL-R-83866 NOT 1	RECEIEVER, OXYGEN MASK, ASSEMBLY OF
AF	11	QPL-83867	01/03/2008	MIL-PRF-83867D	Connector, Oxygen Mask Hose, Non-Ejection Type
AF	11	QPL-87100	02/27/2008	MIL-PRF-87100A	LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, POLYPHENYL ETHER BASE
AF	11	QPL-87174	01/03/2008	MIL-DTL-87174A	Helmet, Flyers HGU-55/P
AF	11	QPL-87260	04/27/2007	MIL-PRF-87260B	Foam Material, Explosion Suppression, Inherently Electrostatically Conductive, for Aircraft Fuel Tanks

Page 1 of 15

Published QPL

3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
AF	11	QPL-87893	02/27/2008	MIL-PRF-87893B	WORKSTATION, ELECTROSTATIC DISCHARGE (ESD) CONTROL
AF	68	QPL-32014	01/31/2008	MIL-PRF-32014A	Grease, Aircraft and Instrument
AF	71	QPL-7086	10/11/2007	MIL-I-7086C NOT 1	Indicator, Pressure, Oil 0-100 PSI
AF	71	QPL-25531	02/05/2008	MIL-DTL-25531E NOT 1	COUPLING HALF, QUICK DISCONNECT, PNEUMATIC STARTER, EXTERNAL, LOW PRESSURE
AF	71	QPL-25961	02/01/2008	MIL-PRF-25961G(1)	VALVE, FILL-BUILDUP-VENT, LIQUID OXYGEN CONVERTER, CRU-50/A
AF	71	QPL-26547	02/01/2008	MIL-S-26547C NOT 1	Starter-Generator Engine STU-6A
AF	71	QPL-27189	02/01/2008	MIL-DTL-27189E	Indicator, Pressure, Oil
AF	71	QPL-27200	02/22/2008	MIL-T-27200C(4) NOT 1	TRANSMITTER, RATE GYROSCOPE TRU-2A/A
AR	AT	QPL-680	10/11/2007	MIL-PRF-680B	Degreasing Solvent
AR	AT	QPL-3150	07/27/2007	MIL-PRF-3150D(2)	LUBRICATING OIL, PRESERVATIVE, MEDIUM
AR	AT	QPL-6083	10/12/2007	MIL-PRF-6083F NOT 1	HYDRAULIC FLUID, PETROLEUM BASE, FOR PRESERVATION AND OPERATION
AR	AT	QPL-10924	03/18/2008	MIL-PRF-10924G	GREASE, AUTOMOTIVE AND ARTILLERY
AR	AT	QPL-11891	01/10/2008	MIL-DTL-11891G	TRACK SHOE SETS, TRACK SHOE ASSEMBLIES, TRACK SHOE PADS AND TRACK SHOE BUSHINGS, VEHICULAR: ELASTOMERIZED
AR	AT	QPL-32033	03/15/2007	MIL-PRF-32033(2)	Lubricating Oil, General Purpose, Preservative (Water-Displacing, Low Temperature)
AR	AT	QPL-32073	10/16/2007	MIL-PRF-32073A(1)	Hydraulic Fluid, Biobased
AR	AT	QPL-46010	07/10/2007	MIL-PRF-46010F	LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING
AR	AT	QPL-46147	01/31/2008	MIL-PRF-46147C	LUBRICANT, SOLID FILM, AIR CURED (CORROSION INHIBITING)
AR	AT	QPL-46170	03/25/2008	MIL-PRF-46170D	HYDRAULIC FLUID, RUST INHIBITED, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE, NATO CODE NO. H-544
AR	AT	QPL-46176	10/22/2007	MIL-PRF-46176B	BRAKE FLUID, SILICONE, AUTOMOTIVE, ALL-WEATHER, OPERATIONAL AND PRESERVATIVE
AR	AT	QPL-53021	02/05/2007	MIL-S-53021A NOT 1	STABILIZER ADDITIVE, DIESEL FUEL

Page 2 of 15

Attachment No. 7B

Published QPL
3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
AR	AT	QPL-53131	11/02/2007	MIL-DTL-53131A	LUBRICATING OIL, PRECISION ROLLING ELEMENT BEARING, POLYALPHAOLEFIN BASED
AR	CR	QPL-914	02/26/2008	MIL-PRF-914B	RESISTOR NETWORKS, FIXED, FILM, SURFACE MOUNT, NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR
AR	CR	QPL-14409	01/23/2008	MIL-PRF-14409G SUP 1	Capacitors, Variable (Piston Type, Tubular Trimmer), General Specification for
AR	CR	QPL-39015	01/15/2008	MIL-PRF-39015E	Resistors, Variable, Wire Wound, (Lead Screw Actuated), Nonestablished Reliability, and Established Reliability, General Specification for
AR	CR	QPL-49470	12/12/2007	MIL-PRF-49470B SUP 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, GENERAL SPECIFICATION FOR
AR	MR	QPL-4556	08/06/2007	MIL-PRF-4556F(1)	COATING KIT, EPOXY, FOR INTERIOR OF STEEL FUEL TANKS
AR	MR	QPL-11195	08/22/2007	MIL-DTL-11195G	ENAMEL, LUSTERLESS, FAST DRY, VOC COMPLIANT, (FOR USE ON AMMUNITION AND OTHER METALS)
AR	MR	QPL-53022	02/07/2008	MIL-DTL-0053022C	Primer, Epoxy Coating, Corrosion Inhibiting Lead and Chromate Free
AR	MR	QPL-53030	02/07/2008	MIL-DTL-0053030B	Primer Coating, Epoxy, Water Reducible, Lead and Chromate Free
DL	CC	QPL-1	01/17/2008	MIL-PRF-1M(2) SUP 1B	Electron Tube General Specification For
DL	CC	QPL-5	12/14/2007	MIL-C-5F	CAPACITORS, FIXED, MICA DIELECTRIC, GENERAL SPECIFICATION FOR
DL	CC	QPL-17	03/25/2008	MIL-DTL-17H SUP 1	Cables, Radio Frequency, Flexible and Semirigid, General Specification for
DL	CC	QPL-19	12/20/2007	MIL-PRF-19E(1)	Resistor, Variable, Wirewound (Low Operating Temperature), General Specification for
DL	CC	QPL-20	12/28/2007	MIL-PRF-20K SUP 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR
DL	CC	QPL-22	12/28/2007	MIL-PRF-22E SUP 1	Resistors, Variable, (Wirewound, Power Type), General Specification for

Page 3 of 15

Published QPL
3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
DL	CC	QPL-25	11/30/2007	MIL-C-25E	CAPACITORS, FIXED, PAPER OR PLASTIC DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR
DL	CC	QPL-26	03/05/2008	MIL-PRF-26H	Resistors, Fixed, Wire Wound (Power Type) General Specification for
DL	CC	QPL-27	02/14/2008	MIL-PRF-27F SUP 1 NOT 1	Transformers and Inductors (Audio, Power, and High-Power Pulse), General Specification For
DL	CC	QPL-29	03/05/2008	MIL-PRF-29B NOT 1	RESISTORS, FIXED, METER MULTIPLIER, EXTERNAL (HIGH VOLTAGE, FERRULE TERMINAL TYPE)
DL	CC	QPL-62	03/05/2008	MIL-C-62E SUP 1	CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED), GENERAL SPECIFICATION FOR
DL	CC	QPL-81	03/05/2008	MIL-PRF-81E	Capacitors, Variable, Ceramic Dielectric, General Specification for
DL	CC	QPL-93	11/30/2007	MIL-R-93F SUP 1	Resistors, Fixed, Wire Wound, (Accurate), General Specification for
DL	CC	QPL-94	03/05/2008	MIL-PRF-94G SUP 1	Resistors, Variable, Composition General Specification for
DL	CC	QPL-123	01/03/2008	MIL-PRF-123D(2) SUP 1	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, General Specification for
DL	CC	QPL-W-C-375	03/06/2008	W-C-375D	Circuit Breakers, Molded Case; Branch Circuit and Service
DL	CC	QPL-W-C-596	02/26/2008	W-C-596G(2)	CONNECTOR, ELECTRICAL, POWER, GENERAL SPECIFICATION FOR
DL	CC	QPL-AS604	03/12/2008	SAE-AS604	HOSE ASSEMBLY, POLYTETRAFLUORETHYLENE, METALLIC REINFORCED, 3000 PSI, 400 DEG F, HEAVYWEIGHT, HYDRAULIC
DL	CC	QPL-641	11/30/2007	MIL-J-641E(2) SUP 1	JACKS, TELEPHONE, GENERAL SPECIFICATION FOR
DL	CC	QPL-642	02/26/2008	MIL-P-642D(3) SUP 1 NOT 1	PLUGS, TELEPHONE, AND ACCESSORY SCREWS, GENERAL SPECIFICATION FOR
DL	CC	QPL-W-S-896	03/12/2008	W-S-896F(1) NOT 1	Switches, Toggle (Toggle and Lock), Flush Mounted (General Specification)
DL	CC	QPL-AS1339	03/12/2008	SAE-AS1339	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED, 3000 PSI, 400 DEG F, LIGHTWEIGHT, HYDRAULIC AND PNEUMATIC
DL	CC	QPL-W-F-1814	03/12/2008	W-F-1814C SUP 1	FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY

Page 4 of 15

Attachment No. 7B

Published QPL

3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
DL	CC	QPL-3702	01/23/2008	MIL-DTL-3702D	Cable, Power, Electrical: Ignition, High-Tension
DL	CC	QPL-3786	03/12/2008	MIL-DTL-3786H SUP 1	Switches, Rotary (Circuit Selector, Low-Current Capacity), General Specification for
DL	CC	QPL-3928	03/18/2008	MIL-DTL-3928F(2) SUP 1	Switches, Radio-Frequency Transmission Line, (Coaxial and Microstrip), General Specification For
DL	CC	QPL-3933	03/13/2008	MIL-DTL-3933H(3) SUP 1A	Attenuators, Fixed General Specification for
DL	CC	QPL-3950	03/06/2008	MIL-DTL-3950G	SWITCHES, TOGGLE, ENVIRONMENTALLY SEALED GENERAL SPECIFICATION FOR
DL	CC	QPL-3965	03/13/2008	MIL-DTL-3965H	CAPACITOR, FIXED ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR
DL	CC	QPL-5070	03/06/2008	MIL-DTL-5070F(1) SUP 1	Adapter, Hose to Tube, Pipe, and Flange, Reusable - Hydraulic, Fuel, and Oil Lines, General Specification For
DL	CC	QPL-5423	03/13/2008	MIL-DTL-5423D SUP 1	BOOTS, DUST AND MOISTURE SEAL (FOR TOGGLE AND PUSH-BUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY-ACTUATED PARTS), GENERAL SPECIFICATION FOR
DL	CC	QPL-5515	11/30/2007	MIL-P-5515D NOT 1	PUMP, HYDRAULIC, RAM, HAND DRIVEN
DL	CC	QPL-5593	03/13/2008	MIL-DTL-5593E	Hose, Aircraft, Low Pressure Air and Vacuum, Flexible
DL	CC	QPL-5757	03/25/2008	MIL-R-5757H(3) SUP 1	RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR
DL	CC	QPL-6000	03/20/2008	MIL-DTL-6000D	Hose, Rubber, Aircraft, Fuel, Oil, Coolant, Water, and Alcohol
DL	CC	QPL-6106	01/08/2008	MIL-PRF-6106L(5) SUP 1	RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR
DL	CC	QPL-6193	02/26/2008	MIL-DTL-6193D(2)	Joints, Universal, Plain, Light and Heavy Duty, General Specification for
DL	CC	QPL-6749	03/20/2008	MIL-DTL-6749B	Resistor, Variable, Wirewound, Nonprecision, Aircraft Power
DL	CC	QPL-6807	03/20/2008	MIL-DTL-6807E	SWITCHES, ROTARY, SELECTOR POWER, GENERAL SPECIFICATION FOR
DL	CC	QPL-7703	10/24/2007	MIL-DTL-7703E(1) SUP 1	GUARD, SWITCH, GENERAL SPECIFICATION FOR
DL	CC	QPL-7790	03/20/2008	MIL-DTL-7790A(1)	RESISTOR, THERMOCOUPLE LEAD SPOOL

Page 5 of 15

Published QPL

3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
DL	CC	QPL-8777	01/10/2008	MIL-DTL-8777E	Wire, Electrical, Silicone-Insulated, Copper, 600-Volt, 200 Degrees C
DL	CC	QPL-8783	03/14/2008	MIL-DTL-8783C	CLAMP, HOSE, FLAT BAND 500 DEG. F, GENERAL SPECIFICATION FOR
DL	CC	QPL-8788	03/20/2008	MIL-DTL-8788E	Hose, Rubber, Hydraulic, High Pressure (3,000 PSI), Operating Temperature Range -65 degrees F to +160 Degrees F
DL	CC	QPL-8789	03/20/2008	MIL-DTL-8789F(1)	Fitting End, Attachable, Hydraulic, High Pressure (3,000 PSI), General Specification for
DL	CC	QPL-8790	03/21/2008	MIL-DTL-8790F	Hose Assemblies, Rubber, Hydraulic, High Pressure 3,000 PSI, Operating Temperature Range -65 Degrees F to +275 Degrees F, Field Attachable
DL	CC	QPL-8794	03/20/2008	MIL-DTL-8794F(1)	Hose, Synthetic Rubber - Hydraulic Fluid, Fuel, and Oil Resistant
DL	CC	QPL-8805	01/08/2008	MIL-PRF-8805F(1) SUP 1	Switches and Switch Assemblies, Sensitive, Snap Action (Basic, Limit, Push Button and Toggle Switches), General Specification for
DL	CC	QPL-8834	02/26/2008	MIL-DTL-8834H	SWITCHES, TOGGLE, POSITIVE BREAK, GENERAL SPECIFICATION FOR
DL	CC	QPL-9177	03/20/2008	MIL-C-9177B(3) SUP 1 NOT 1	CONNECTOR, AUDIO, AIRBORNE, GENERAL SPECIFICATION FOR
DL	CC	QPL-9395	03/25/2008	MIL-DTL-9395H SUP 1	Switches, Pressure, (Absolute, Gage, and Differential), General Specification for
DL	CC	QPL-9419	03/25/2008	MIL-DTL-9419F	SWITCH, TOGGLE, MONENTARY, FOUR-POSITION ON, CENTER OFF, GENERAL SPECIFICATION FOR
DL	CC	QPL-10509	02/27/2008	MIL-R-10509J	Resistors, Fixed, Film (High Stability), General Specification for
DL	CC	QPL-11015	02/27/2008	MIL-C-11015E SUP 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE)
DL	CC	QPL-11272	10/25/2007	MIL-C-11272E	Capacitors, Fixed, Glass Dielectric General Specification for
DL	CC	QPL-11693	03/25/2008	MIL-PRF-11693D(1)	CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR
DL	CC	QPL-12211	03/25/2008	MIL-DTL-12211F NOT 1	Switch, Pressure
DL	CC	QPL-12285	10/25/2007	MIL-DTL-12285E	SWITCHES, THERMOSTATIC

Page 6 of 15

Attachment No. 7B

Published QPL

3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
DL	CC	QPL-12606	03/25/2008	MIL-DTL-12606E(1)	Loudspeaker, Permanent Magnet (Unencased, 3-Inch and 4-Inch Diameter Cone, 2-Watt, Fungus-, and Immersion-Resistant), Type LS-445/U, M12606-D1, and M12606-02
DL	CC	QPL-12883	02/27/2008	MIL-DTL-12883F	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, GENERAL SPECIFICATION FOR
DL	CC	QPL-13484	03/26/2008	MIL-DTL-13484F	SWITCH, SENSITIVE: 30 VOLTS DIRECT CURRENT MAXIMUM, WATERPROOF
DL	CC	QPL-13486	02/27/2008	MIL-DTL-13486E	Cables, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Single Conductor and Multiple Conductor, Shielded and Unshielded, General Specification for
DL	CC	QPL-15160	01/15/2008	MIL-PRF-15160J(1) SUP 1	Fuses, Instrument, Power, and Telephone General Specification for
DL	CC	QPL-15291	03/26/2008	MIL-DTL-15291F SUP 1	Switches, Rotary, Snap Action and Detent/Spring Return Action, General Specification for
DL	CC	QPL-15305	03/26/2008	MIL-PRF-15305E(7) SUP 1B NOT 1	Coils, Fixed and Variable, Radio Frequency, General Specification for
DL	CC	QPL-18312	12/06/2007	MIL-C-18312F NOT 1	Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), General Specification for
DL	CC	QPL-19365	12/06/2007	MIL-R-19365E	Resistors, Adjustable, Wirewound, Power
DL	CC	QML-19500	03/12/2008	MIL-PRF-19500N	Semiconductor Devices, General Specification for
DL	CC	QPL-19978	12/06/2007	MIL-PRF-19978J SUP 1	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC (HERMETICALLY SEALED IN METAL, CERAMIC OR GLASS CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR
DL	CC	QPL-22710	12/06/2007	MIL-PRF-22710G SUP 1	SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), THUMBWHEEL AND PUSH-BUTTON, GENERAL SPECIFICATION FOR
DL	CC	QPL-22992	01/15/2008	MIL-DTL-22992F(1) SUP 1	Connectors, Plugs and Receptacles, Electrical, Waterproof, Quick Disconnect, Heavy Duty Type, General Specification for
DL	CC	QPL-23269	03/25/2008	MIL-PRF-23269G	Capacitors, Fixed, Glass Dielectric, Established Reliability, General Specification for
DL	CC	QPL-24308	02/01/2008	MIL-DTL-24308F	Connectors, Electric, Rectangular, Nonenvironmental, Miniature, Polarized Shell, Rack and Panel, General Specification for
DL	CC	QPL-25670	03/06/2008	MIL-PRF-25670B(2)	Earphone Elements, General Specification for

Page 7 of 15

Published QPL

3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
DL	CC	QPL-25677	03/25/2008	MIL-DTL-25677E	Adapter, Cap, and Nozzle, Pressure Lubricating Oil Servicing, Aircraft, General Specification for
DL	CC	QPL-26482	03/06/2008	MIL-DTL-26482H SUP 1	Connectors, Electrical, (Circular, Miniature, Quick Disconnect, Environment Resisting), Receptacles and Plugs, General Specification for
DL	CC	QPL-26518	12/07/2007	MIL-DTL-26518C SUP 1	CONNECTORS, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTANT, 200 DEGREES C AMBIENT TEMPERATURE, GENERAL SPECIFICATION FOR
DL	CC	QPL-27599	12/07/2007	MIL-DTL-27599C SUP 1	Connectors, Electrical, Circular, Miniature, High Density, Quick Disconnect, Environment Resistant, Solder Contacts, General Specification for
DL	CC	QPL-28776	12/07/2007	MIL-PRF-28776D(1) SUP 1	RELAYS, HYBRID, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR
DL	CC	QPL-28788	12/07/2007	MIL-DTL-28788B	SWITCHES, AIR AND LIQUID FLOW, SENSING, GENERAL SPECIFICATION FOR
DL	CC	QPL-28861	02/21/2008	MIL-PRF-28861C(1)	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, GENERAL SPECIFICATION FOR
DL	CC	QPL-38359	12/11/2007	MIL-DTL-38359C	CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING, CROSS-LINKED, POLYETHYLENE (XLP)
DL	CC	QML-38534	02/12/2008	MIL-PRF-38534F	Hybrid Microcircuits, General Specification for
DL	CC	QML-38535	01/10/2008	MIL-PRF-38535H	Integrated Circuits (Microcircuits) Manufacturing, General Specification For
DL	CC	QPL-38999	01/10/2008	MIL-DTL-38999K(3) SUP 1	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR
DL	CC	QPL-39002	01/31/2008	MIL-PRF-39002B	RESISTORS, VARIABLE, WIREWOUND, SEMI-PRECISION, GENERAL SPECIFICATION FOR
DL	CC	QPL-39023	12/11/2007	MIL-PRF-39023D SUP 1	Resistors, Variable, Nonwirewound, Precision, General Specification for
DL	CC	QPL-39024	02/01/2008	MIL-DTL-39024B SUP 1	JACK, TIP (TEST POINT, PANEL OR PRINTED WIRING TYPE), GENERAL SPECIFICATION FOR
DL	CC	QPL-52471	12/12/2007	MIL-DTL-52471E(1) SUP 1 NOT 1	HOSE AND HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE TYPE, GENERAL SPECIFICATION FOR

Page 8 of 15

Attachment No. 7B

Published QPL
3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
DL	CC	QPL-55116	12/12/2007	MIL-DTL-55116C SUP 1	CONNECTORS: MINIATURE AUDIO, FIVE-PIN AND SIX-PIN GENERAL SPECIFICATION FOR
DL	CC	QPL-55339	01/29/2008	MIL-PRF-55339C	ADAPTERS, CONNECTORS, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR
DL	CC	QPL-83287	12/13/2007	MIL-PRF-83287G	Indicators, Fault Locating, General Specification for
DL	CC	QPL-83298	12/13/2007	MIL-DTL-83298B	HOSE, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC
DL	CC	QPL-83503	12/13/2007	MIL-DTL-83503C	Connectors, Electrical, Flat Cable, and/or Printed Wiring Board, Nonenvironmental, General Specification for
DL	CC	QPL-83507	12/13/2007	MIL-T-83507(3) SUP 1A NOT 2	TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: GENERAL SPECIFICATION FOR
DL	CC	QPL-83522	01/29/2008	MIL-C-83522D(1)	CONNECTORS, FIBER OPTIC, SINGLE TERMINUS, GENERAL SPECIFICATION FOR
DL	CC	QPL-83530	12/13/2007	MIL-PRF-83530B(1)	RESISTORS, VOLTAGE SENSITIVE (VARISTOR, METAL-OXIDE), GENERAL SPECIFICATION FOR
DL	CC	QPL-83726	12/14/2007	MIL-PRF-83726C(3) SUP 1A	RELAYS, HYBRID AND SOLID STATE, TIME DELAY, GENERAL SPECIFICATION FOR
DL	CC	QPL-83731	02/28/2008	MIL-DTL-83731C SUP 1	SWITCHES, TOGGLE, UNSEALED AND SEALED, GENERAL SPECIFICATION FOR
DL	CC	QPL-85670	12/14/2007	MIL-DTL-85670C	Antenna, Broadband AS-3191/A, AS-3792/A, and AS-3793/A
DL	GS1	QPL-5498	01/30/2008	MIL-DTL-5498F	Accumulators, Hydraulic, Cylindrical 3000 PSI, Aircraft
DL	GS1	QPL-5508	02/19/2008	MIL-DTL-5508C	Fuses, Aircraft Automatic Quantity-Measuring, Hydraulic
DL	GS1	QPL-6839	02/19/2008	MIL-DTL-6839D	Indicator, Position, Landing Gear
DL	GS1	QPL-7077	02/19/2008	MIL-DTL-7077C	Indicator, Temperature, Electrical Resistance, Multifunction, -70 Degrees C to 150 Degrees C, 2-Inch Size
NA	AS	QPL-P-P-560	06/19/2007	P-P-560B(3) NOT 2	POLISH, PLASTIC
NA	AS	QPL-TT-P-2756	03/27/2008	TT-P-2756A	Polyurethane Coating: Self-Priming Topcoat, Low Volatile Organic Compounds (VOC) Content
NA	AS	QPL-TT-P-2760	10/19/2007	TT-P-2760A	Primer Coating: Polyurethane, Elastomeric, High-Solids

Page 9 of 15

Published QPL
3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
NA	AS	QPL-5027	08/15/2007	MIL-V-5027D(2) NOT 2	VALVES, CHECK, OXYGEN, HIGH PRESSURE
NA	AS	QPL-5425	10/18/2007	MIL-PRF-5425E	PLASTIC, SHEET, ACRYLIC, HEAT RESISTANT
NA	AS	QPL-5504	07/20/2007	MIL-F-5504B(3) NOT 1	FILTERS AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC MICRONIC TYPE
NA	AS	QPL-5524	07/20/2007	MIL-V-5524B(2) NOT 2	VALVE, CHECK, HYDRAULIC, AIRCRAFT, TYPE I SYSTEMS (ASG)
NA	AS	QPL-5540	10/19/2007	MIL-A-5540B(3) NOT 1	ADHESIVE, POLYCHLOROPRENE
NA	AS	QPL-5567	10/22/2007	MIL-L-5567F(2)	LIFE RAFTS, INFLATABLE - 4 AND 7 MAN - FOR AIRCRAFT USE
NA	AS	QPL-5594	04/13/2007	MIL-S-5594B(1) SUP 1 NOT 1	Switch, Toggle, Electrically Held Sealed General Specification For
NA	AS	QPL-AS5877	03/24/2008	SAE-AS5877	NOZZLE, AIRCRAFT PRESSURE REFUELING
NA	AS	QPL-AS6039	04/25/2007	SAE-AS6039	BEARINGS, BALL, ROD END, DOUBLE ROW, SELF-ALIGNING
NA	AS	QPL-6752	02/05/2008	MIL-A-6752A(3) NOT 2	AMMETERS, VOLTMETERS, AND LOADMETERS; DIRECT CURRENT
NA	AS	QPL-6799	10/10/2007	MIL-PRF-6799K	COATINGS, SPRAYABLE, STRIPPABLE, PROTECTIVE, WATER EMULSION
NA	AS	QPL-7032	06/01/2007	MIL-I-7032G SUP 1 NOT 1	Inverters, Aircraft, General Specification for
NA	AS	QPL-7780	02/06/2008	MIL-S-7780B(3) NOT 1	STARTER, ELECTRIC, CONSTANT CURRENT, DC
NA	AS	QPL-7793	08/29/2007	MIL-M-7793F(1) SUP 1B NOT 1	METER, TIME TOTALIZING
NA	AS	QPL-AS7974	09/17/2007	SAE-AS7974	Cable Assemblies and Attachable Plugs, External Electrical Power, Aircraft, General Specification for
NA	AS	QPL-8184	01/30/2008	MIL-PRF-8184F	Plastic Sheet, Acrylic, Modified
NA	AS	QPL-8516	01/07/2008	MIL-PRF-8516G(1)	SEALING COMPOUND, SYNTHETIC RUBBER, ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS, CHEMICALLY CURED
NA	AS	QPL-8565	08/06/2007	MIL-PRF-8565K NOT 1	Battery Storage, Aircraft, General Specification for
NA	AS	QPL-8605	08/08/2007	MIL-C-8605B	CAP, PRESSURE FUEL SERVICING

Page 10 of 15

Attachment No. 7B

Published QPL

3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
NA	AS	QPL-8813	07/25/2007	MIL-V-8813 NOT 1	Valve, Aircraft, Hydraulic Pressure Relief, Type II Systems (ASG)
NA	AS	QPL-8815	10/15/2007	MIL-F-8815D(1) SUP 1	FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON ABSOLUTE AND 5 MICRON ABSOLUTE, TYPE II SYSTEMS; GENERAL SPECIFICATION FOR
NA	AS	QPL-9131	10/22/2007	MIL-L-9131H	LIFE RAFTS, INFLATABLE, TWENTY MAN
NA	AS	QPL-9370	05/15/2007	MIL-DTL-9370E	Valve, Automatic, Pressure Regulating, Anti-G Suit
NA	AS	QPL-18240	12/05/2007	MIL-DTL-18240F(1)	FASTENER ELEMENT, SELF-LOCKING, THREADED FASTENER, 250 DEG. F MAXIMUM
NA	AS	QPL-18494	07/11/2007	MIL-PRF-18494F NOT 1	Life Rafts, Inflatable, Multi-Place
NA	AS	QPL-18804	08/02/2007	MIL-L-18804B(1)	INDICATOR, VERTICAL SPEED, 0 - 6000 FPM, 2 INCH
NA	AS	QPL-19069	07/10/2007	MIL-V-19069B(1) NOT 1	Valve, Check, Hydraulic, Aircraft, Type II Systems
NA	AS	QPL-19246	05/15/2007	MIL-DTL-19246E	Connector, Oxygen Mask Hose, Type MC-3A
NA	AS	QPL-19557	02/06/2008	MIL-S-19557D	STARTER, AIRCRAFT ENGINE, AIR TURBINE
NA	AS	QPL-19803	05/15/2007	MIL-DTL-19803G	Converter, Liquid Oxygen, 10-Liter, GCU-24A/A
NA	AS	QPL-21049	10/19/2007	MIL-C-21049F(1) NOT 1	COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS
NA	AS	QPL-AS21608	07/20/2007	SAE-AS21608	FERRULE, SHIELD TERMINATING, CRIMP STYLE
NA	AS	QPL-22110	05/15/2007	MIL-L-22110C	Inhibitors, Corrosion, Volatile, Crystalline Powder
NA	AS	QPL-22750	10/18/2007	MIL-PRF-22750F	COATING, EPOXY, HIGH-SOLIDS
NA	AS	QPL-22999	01/29/2008	MIL-S-22999B	STARTER, AIRCRAFT ENGINE, HYDRAULIC GENERAL SPECIFICATION FOR
NA	AS	QPL-23398	07/12/2007	MIL-L-23398D(2)	Lubricant, Solid Film, Air-Cured, Corrosion Inhibiting, NATO Code Number S-749
NA	AS	QPL-23426	09/06/2007	MIL-T-23426D	TENSION BAR/RELEASE ELEMENT, AIRCRAFT LAUNCHING
NA	AS	QPL-AS23479	09/18/2007	SAE-AS23479	INDICATOR, PRESSURE, 1 1/2-INCH, INTEGRALLY LIGHTED
NA	AS	QPL-23595	09/19/2007	MIL-A-23595D(1)	AMPLIFIER, AUDIO FREQUENCY
NA	AS	QPL-AS23899	10/11/2007	SAE-AS23899	AURAL PROTECTOR, SOUND

Page 11 of 15

Published QPL

3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
NA	AS	QPL-24041	08/09/2007	MIL-M-24041C NOT 1	MOLDING AND POTTING COMPOUND, CHEMICALLY CURED, POLYURETHANE
NA	AS	QPL-AS25427	03/18/2008	SAE-AS25427	COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK DISCONNECT
NA	AS	QPL-25690	06/26/2007	MIL-PRF-25690B(1)	PLASTIC, SHEET AND FORMED PARTS, MODIFIED ACRYLIC BASE, MONOLITHIC, CRACK PROPAGATION RESISTANT
NA	AS	QPL-29576	08/28/2007	MIL-DTL-29576B	Cylinders, Steel, Compressed Gas, Non-Shatterable, Welded
NA	AS	QPL-AS39901	02/04/2008	SAE-AS39901	BEARINGS, ROLLER, NEEDLE, AIRFRAME, ANTI-FRICTION, INCH
NA	AS	QPL-AS58091	02/05/2008	SAE-AS58091	CIRCUIT BREAKERS, TRIP-FREE, AIRCRAFT, GENERAL SPECIFICATION FOR
NA	AS	QPL-81542	05/15/2007	MIL-PRF-81542B	Life Raft, Inflatable, Single-Place
NA	AS	QPL-81581	04/13/2007	MIL-DTL-81581B SUP 1	Hose Assemblies, Breathing Oxygen and Air, General Specification for
NA	AS	QPL-81757	10/15/2007	MIL-PRF-81757D(1) SUP 1 NOT 1	BATTERIES AND CELLS, STORAGE, NICKEL-CADMIUM, AIRCRAFT GENERAL SPECIFICATION FOR
NA	AS	QPL-AS81790	11/13/2007	SAE-AS81790	Connectors, Receptacle, External Electric Power, Aircraft General Specification for
NA	AS	QPL-81836	08/06/2007	MIL-PRF-81836B SUP 1	FILTER AND DISPOSABLE ELEMENT, FLUID PRESSURE, HYDRAULIC, 3 MICRON ABSOLUTE, GENERAL SPECIFICATION FOR
NA	AS	QPL-81851	06/05/2007	MIL-A-81851B(1) NOT 2	ALTIMETER AAU-31/A
NA	AS	QPL-81852	06/05/2007	MIL-A-81852A(1) NOT 1	ALTIMETER-ENCODER AAU-32/A
NA	AS	QPL-81903	08/27/2007	MIL-R-81903A(2) NOT 1	REMOVER, ACID ACTIVATED, FOR AMINE-CURED EPOXY COATING SYSTEMS
NA	AS	QPL-81940	11/14/2007	MIL-V-81940B	VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS
NA	AS	QPL-81945	04/12/2007	MIL-C-81945B	COATING COMPOUNDS, WEAPON INSULATION, INTUMESCENT
NA	AS	QPL-81995	11/20/2007	MIL-V-81995 NOT 1	VALVE, STARTER CONTROL, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR

Page 12 of 15

Attachment No. 7B

Published QPL

3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
NA	AS	QPL-AS83519	02/07/2008	SAE-AS83519	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT, GENERAL SPECIFICATION FOR
NA	AS	QPL-AS85028	12/12/2007	SAE-AS85028	Connector, Electrical, Rectangular, Individual Contact Sealing, Polarized Center Jackscrew, General Specification For
NA	AS	QPL-85052	07/06/2007	MIL-DTL-85052B	CLAMP, LOOP, CUSHION, GENERAL SPECIFICATION FOR
NA	AS	QPL-85322	05/15/2007	MIL-C-85322B(2)	COATING, ELASTOMETRIC, POLYURETHANE, RAIN-EROSION
NA	AS	QPL-85633	09/17/2007	MIL-DTL-85633C	COVERALLS, FLYERS, ANTI-EXPOSURE, CWU-62B/P, CWU-74/P, CWU-62C/P, CWU-86/P, AND CWU-87/P
NA	AS	QPL-85733	06/25/2007	DOD-G-85733	GREASE, HIGH TEMPERATURE, CATAPULT SYSTEM
NA	AS	QPL-85824	09/05/2007	MIL-L-85824A(1)	LIFE RAFT, INFLATABLE, ONE-MAN, VEE BOTTOM, LRU-18/U
NA	SH	QPL-904	02/13/2008	MIL-H-904J NOT 1	HOISTS, CHAIN, HAND-OPERATED, HOOK AND TROLLEY SUSPENSION
NA	SH	QPL-907	03/24/2008	MIL-PRF-907F	ANTISEIZE THREAD COMPOUND, HIGH TEMPERATURE
NA	SH	QPL-2863	12/14/2007	MIL-PRF-2863C	PACKING, PREFORMED, CONDENSER-TUBE, NON-ASBESTOS
NA	SH	QPL-3064	03/22/2007	MIL-I-3064B NOT 1	INSULATION, ELECTRICAL, PLASTIC-SEALER
NA	SH	QPL-3117	11/02/2007	MIL-H-3117C(1) NOT 1	Heater, Convection, Steam and Hot Water
NA	SH	QPL-3155	12/14/2007	MIL-V-3155C(1) NOT 1	VALVE, TEMPERATURE REGULATING VENTILATION HEATER, STEAM CONTROL, NAVAL SHIPBOARD USE
NA	SH	QPL-15265	03/28/2007	MIL-I-15265C	INSULATION, ELECTRICAL, PLASTIC (SUBMARINE BUS BAR COVERING)
NA	SH	QPL-15581	12/18/2007	MIL-L-15581K NOT 1	LIFE PRESERVERS, CO2 INFLATABLE, POUCH TYPE
NA	SH	QPL-15719	02/05/2008	MIL-L-15719A(3)	Lubricating Grease (High-Temperature, Electric Motor, Ball and Roller Bearings)
NA	SH	QPL-16235	02/13/2008	MIL-H-16235C(1)	HEATER, VENTILATION, DUCT TYPE, SHIPBOARD
NA	SH	QPL-16383	03/19/2008	MIL-L-16383H	LIFE PRESERVER, CO2 INFLATABLE, UNDERWATER DEMOLITION TEAM
NA	SH	QPL-17191	03/27/2008	MIL-M-17191D	MOUNT, RESILENT, PORTSMOUTH BONDED SPOOL TYPE

Page 13 of 15

Published QPL

3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
NA	SH	QPL-17196	01/08/2008	MIL-A-17196E	ALARM SWITCHBOARDS, ALARM PANELS, REMOTE SENTRY ALARM SWITCH, SIGNAL UNITS, AND SPECIAL ALARM CONNECTION BOX, NAVAL SWITCHBOARD
NA	SH	QPL-17221	03/26/2008	MIL-T-17221B	TRANSFORMERS, POWER, DISTRIBUTION, SINGLE PHASE, 400 HERTZ, INSULATION SYSTEM CLASS 220 DEG. C, DRY (AIR COOLER), (NAVAL SHIPBOARD USE)
NA	SH	QPL-17331	03/06/2008	MIL-PRF-17331J(1)	Lubricating Oil, Steam Turbine and Gear, Moderate Service
NA	SH	QPL-17508	03/27/2008	MIL-M-17508F	MOUNTS, RESILIENT: TYPES 6E100, 6E150, 7E450, 6E900, 6E2000, 5E3500, 6E100BB, 6E150BB, 7E450BB, AND 6E900BB
NA	SH	QPL-17578	04/05/2006	MIL-P-17578A NOT 4	Packing Material, Plastic (for Dogs for Watertight Closures) (Symbol 1425)
NA	SH	QPL-17901	11/21/2007	MIL-DTL-17901C	BEARING COMPONENTS, BONDED SYNTHETIC RUBBER, WATER LUBRICATED
NA	SH	QPL-18458	12/20/2007	MIL-PRF-18458C NOT 1	Grease, Wire Rope - Exposed Gear
NA	SH	QPL-19088	01/09/2008	MIL-W-19088(10)	Wattmeters, Switchboard Type, 4-1/2 INCH
NA	SH	QPL-20213	01/09/2008	MIL-L-20213E NOT 1	LITHIUM HYDROXIDE (LlOH), TECHNICAL
NA	SH	QPL-21631	12/18/2007	MIL-D-21631A(1) NOT 1	DECK COVERING, LATEX CONCRETE
NA	SH	QPL-21649	02/01/2008	MIL-M-21649C NOT 1	MOUNT, RESILIENT, TYPE 5M10,000-H
NA	SH	QPL-23236	03/07/2008	MIL-PRF-23236C	COATING SYSTEMS FOR SHIP STRUCTURES
NA	SH	QPL-24131	01/04/2008	MIL-L-24131C(1)	Lubricant, Colloidal Graphite in Isopropanol
NA	SH	QPL-24368	01/16/2008	MIL-C-24368B SUP 1	CONNECTOR ASSEMBLIES; PLUGS AND RECEPTACLES, ELECTRIC POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, GENERAL SPECIFICATION FOR
NA	SH	QPL-24385	12/17/2007	MIL-F-24385F(1)	FIRE EXTINGUISHING AGENT, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE, FOR FRESH AND SEA WATER
NA	SH	QPL-24439	10/31/2007	MIL-V-24439A(1)	VALVE, OXYGEN, HELIUM AND HELIUM OXYGEN MIXTURE, HIGH PRESSURE FOR GAS SERVICES
NA	SH	QPL-24517	02/22/2008	MIL-V-24517(2)	VALVE, STEAM PRESSURE REDUCING, QUIET DESIGN

Page 14 of 15

Attachment No. 7B

Published QPL

3/28/2008 9:18:49 AM

Organization	Qualifying Activity	QPL Number	Date Published	Governing Spec	Title
NA	SH	QPL-24552	02/13/2007	MIL-DTL-24552B	TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER SYSTEMS, RECEPTACLE TYPE, GENERAL SPECIFICATION FOR
NA	SH	QPL-24647	02/08/2008	MIL-PRF-24647D	PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL
NA	SH	QPL-24667	11/14/2007	MIL-PRF-24667B	COATING SYSTEM, NON-SKID, FOR ROLL OR SPRAY APPLICATION
NA	SH	QPL-24695	09/05/2007	MIL-V-24695A	VALVE, HOSE ASSEMBLY, AND ADAPTER, VENT AND TEST HYDRAULIC SERVICE, GENERAL SPECIFICATION FOR (METRIC)
NA	SH	QPL-24763	01/04/2008	MIL-E-24763A	ENAMEL, EMULSION TYPE, FOR SHIPBOARD USE
NA	SH	QPL-24779	02/15/2008	MIL-DTL-24779A	Anodes, Sacrificial Aluminum Alloy
NA	SH	QPL-32170	12/13/2007	MIL-PRF-32170A	Deck Tiles, Wear-Resistant
NA	SH	QPL-32171	02/13/2008	MIL-PRF-32171A	Deck Coatings, High Durability
NA	SH	QPL-32177	12/31/2007	MIL-PRF-32177	CLEANING COMPOUND, FLIGHT DECK
Total Count:					258